

Large-Scale Environment Diagnostics and Verification

Kate D. Musgrave¹, Mark DeMaria², Brian D. McNoldy^{1,3}, and
Scott Longmore¹

¹*CIRA/CSU, Fort Collins, CO*

² *NOAA/NESDIS/StAR, Fort Collins, CO*

³*Current Affiliation: RSMAS, University of Miami, Miami, FL*

Acknowledgements: Yi Jin, Naval Research Lab

Michael Fiorino, Jeffrey Whitaker, Philip Pegion, NOAA/ESRL

Vijay Tallapragada, Janna O'Connor, NOAA/NWS/NCEP/EMC

Kate.Musgrave@colostate.edu



Large-Scale Environment Diagnostics

- Provides additional verification to basic track/intensity analysis
 - Requested by EMC
- Diagnostic files developed to provide a human-readable text file with information on the tropical cyclone environment through the model forecast period
- Provide consistent means for comparison of tropical cyclone environment across model platforms

Standard SHIPS Parameters

Key parameters are calculated in prescribed areas...


This is already done with GFS output to create SHIPS "predictor" files available on NHC's FTP server

Sea surface temp (RSST)

850-200 mb shear (SHDC)
200 mb zonal wind (U20C)

200 mb temp (T200)
850-700 mb RH (RHLO)
700-500 mb RH (RHMD)
500-300 mb RH (RHHI)

200 mb divergence (D200)
850 mb vorticity (Z850)



SPICE Input – Model Diagnostic Files

```
* HWRP 2011091018 *
* AL14 MARIA *
```

STORM DATA

```
-----
NTIME 022 DELTAT 006
TIME (HR) 0 6 12 18 24 30 36 42 48 54 60 66 72 78 84 90 96 102 108 114 120 126
LAT (DEG) 17.5 18.3 19.0 20.1 21.0 21.7 22.2 22.8 23.4 23.9 24.3 24.9 25.7 26.6 27.8 29.3 30.8 32.4 34.1 36.0 38.2 40.9
LON (DEG) 298.1 297.3 296.7 296.1 295.6 294.9 294.4 294.0 293.4 292.7 292.1 291.8 291.4 291.3 291.1 291.1 291.2 291.7 292.4 293.8 295.9 299.0
MAXWIND (KT) 41 45 41 42 44 49 52 56 63 71 76 83 83 93 91 93 92 91 95 99 98 91
RMW (KM) 164 142 152 147 132 89 48 49 51 38 41 41 46 52 52 53 56 59 64 67 66 74
MIN_SLP (MB) 1006 1005 1003 1004 1001 997 990 987 979 970 962 956 951 951 945 945 942 942 943 946 946 951
SHR_MAG (KT) 18 19 19 20 18 17 16 16 14 11 12 17 20 22 25 28 27 26 32 39 44
SHR_DIR (DEG) 237 229 235 244 246 248 260 246 254 253 246 227 221 223 209 190 180 183 180 180 189 202
STM_SPD (KT) 11 9 12 10 10 7 7 8 8 7 7 9 9 12 15 15 17 18 22 28 36 9999
STM_HDG (DEG) 316 321 333 333 317 317 328 317 308 306 336 336 354 352 0 3 15 19 31 37 42 9999
SST (10C) 294 291 291 291 290 292 291 290 290 289 288 285 285 284 283 282 278 275 273 275 258 250
OHC (KJ/CM2) 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999
TFW (MM) 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999 9999
LAND (KM) 412 316 264 275 324 368 413 478 529 538 551 604 680 776 906 941 837 780 775 730 601 453
850TANG (10M/S) 104 108 107 102 109 116 114 117 122 130 134 142 148 154 151 157 168 170 170 177 177 180
850VORT (/S) 18 15 8 -1 3 9 5 2 11 19 16 26 49 66 61 68 80 77 72 91 98 113
200DVRG (/S) 90 61 34 48 71 64 50 39 39 31 29 29 57 48 62 77 107 106 105 138 145 137
-----
```

SOUNDING DATA

```
-----
NLEV 020 SURF 1000 0950 0900 0850 0800 0750 0700 0650 0600 0550 0500 0450 0400 0350 0300 0250 0200 0150 0100
TIME (HR) 0 6 12 18 24 30 36 42 48 54 60 66 72 78 84 90 96 102 108 114 120 126
T_SURF (10C) 287 286 286 285 284 284 284 283 283 282 281 280 279 277 274 271 267 261 249 233 209
R_SURF (%) 79 79 79 79 78 78 78 78 78 78 78 78 78 79 79 78 78 78 78 76 74
P_SURF (MB) 1012 1013 1013 1015 1015 1016 1015 1017 1014 1016 1013 1014 1012 1013 1010 1011 1009 1010 1008 1009 1008 1009
U_SURF (10KT) -117 -121 -121 -112 -105 -102 -85 -85 -85 -82 -68 -65 -68 -75 -59 -37 -13 -2 39 60 85 106
V_SURF (10KT) 11 -5 13 17 19 9 28 12 22 15 29 19 23 26 35 25 26 31 48 30 24 26
T_1000 (10C) 277 277 274 270 269 269 266 264 266 267 266 265 268 269 267 265 265 264 257 242 229 210
R_1000 (%) 73 73 75 77 78 79 80 81 81 81 81 81 80 79 79 78 76 75 78 80 80 81
Z_1000 (DM) 11 12 11 13 13 14 13 15 12 14 11 13 10 11 9 10 8 9 7 8 7 7
U_1000 (10KT) -141 -143 -142 -132 -124 -122 -101 -102 -101 -99 -81 -78 -80 -89 -68 -43 -14 -1 45 70 96 121
V_1000 (10KT) 14 -5 17 23 24 13 35 17 27 19 35 25 29 34 44 32 32 40 58 39 32 35
T_0950 (10C) 235 235 232 228 228 227 225 223 225 226 225 224 226 227 226 224 224 223 217 204 192 175
-----
```

SPICE Input – Model Diagnostic Files

```
* HWRP 2011091018 *
* AL14 MARIA *
```

STORM DATA

```
NTIME 022 DELTAT 006
```


TIME (HR)	0	6	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126
LAT (DEG)	17.5	18.3	19.0	20.1	21.0	21.7	22.2	22.8	23.4	23.9	24.3	24.9	25.7	26.6	27.8	29.3	30.8	32.4	34.1	36.0	38.2	40.9
LON (DEG)	298.1	297.3	296.7	296.1	295.6	294.9	294.4	294.0	293.4	292.7	292.1	291.8	291.4	291.3	291.1	291.1	291.2	291.7	292.4	293.8	295.9	299.0
MAXWIND (KT)	41	45	41	42	44	49	52	56	63	71	76	83	83	93	91	93	92	91	95	99	98	91
RMW (KM)	164	142	152	147	132	89	48	49	51	38	41	41	46	52	52	53	56	59	64	67	66	74
MIN SLP (MB)	1006	1005	1003	1004	1001	997	990	987	979	970	962	956	951	951	945	945	942	942	943	946	946	951
SHR_MAG (KT)	18	19	19	20	18	17	16	16	16	14	11	12	17	20	22	25	28	27	26	32	39	44
SHR_DIR (DEG)	237	229	235	244	246	248	260	246	234	233	246	227	221	223	209	190	188	183	188	183	183	202
STM_SPD (KT)	11	9	12	10	10	7	7	8	8	7	7	9	9	12	15	15	17	18	22	28	36	9999
STM_WDC (DEG)	316	321	333	333	317	317	320	317	300	306	336	336	354	352	3	3	15	19	31	37	42	9999
SST (10C)	294	291	291	291	290	292	291	290	290	289	288	285	285	284	283	282	278	275	273	275	258	250
OHC (KJ/CM2)	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999
TPW (MM)	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999	9999
LAND (KM)	412	316	264	275	324	368	413	478	529	538	551	604	680	776	906	941	837	780	775	730	601	453
850TANG (10M/S)	104	108	107	102	109	116	114	117	122	130	134	142	148	154	151	157	168	170	170	177	177	180
850VORT (/S)	18	15	8	-1	3	9	5	2	11	19	16	26	49	66	61	68	80	77	72	91	98	113
200DVRG (/S)	90	61	34	48	71	64	50	39	39	31	29	29	57	48	62	77	107	106	105	138	145	137

SOUNDING DATA

NLEV 020 SURF 1000 0950 0900 0850 0800 0750 0700 0650 0600 0550 0500 0450 0400 0350 0300 0250 0200 0150 0100																							
TIME (HR)	0	6	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	
T_SURF (10C)	287	286	286	285	284	284	284	283	283	282	282	281	280	279	277	274	271	267	261	249	233	209	
R_SURF (%)	79	79	79	79	78	78	78	78	78	78	78	78	78	79	79	78	78	78	78	78	76	74	
P_SURF (MB)	1012	1013	1013	1015	1015	1016	1015	1017	1014	1016	1013	1014	1012	1013	1010	1011	1009	1010	1008	1009	1008	1009	
U_SURF (10KT)	-117	-121	-121	-112	-105	-102	-85	-85	-85	-82	-68	-65	-68	-75	-59	-37	-13	-2	39	60	85	106	
V_SURF (10KT)	11	-5	13	17	19	9	28	12	22	15	29	19	23	26	35	25	26	31	48	30	24	26	
T_1000 (10C)	277	277	274	270	269	269	266	264	266	267	266	265	268	269	267	265	265	264	257	242	229	210	
R_1000 (%)	73	73	75	77	78	79	80	81	81	81	81	81	80	79	79	78	76	75	78	80	80	81	
Z_1000 (DM)	11	12	11	13	13	14	13	15	12	14	11	13	10	11	9	10	8	9	7	8	7	7	
U_1000 (10KT)	-141	-143	-142	-132	-124	-122	-101	-102	-101	-99	-81	-78	-80	-89	-68	-43	-14	-1	45	70	96	121	
V_1000 (10KT)	14	-5	17	23	24	13	35	17	27	19	35	25	29	34	44	32	32	40	58	39	32	35	
T_0950 (10C)	235	235	232	228	228	227	225	223	225	226	225	224	226	227	226	224	224	223	217	204	192	175	






SPICE (Statistical Prediction of Intensity from a Consensus Ensemble)

Model Configuration for Consensus








- SPICE forecasts TC intensity using a combination of parameters from:
 - Current TC intensity and trend
 - Current TC GOES IR
 - TC track and large-scale environment from GFS, GFDL, and HWRF models
- These parameters are used to run DSHP and LGEM based off each dynamical model
- The forecasts are combined into two unweighted consensus forecasts, one each for DSHP and LGEM
- The two consensus are combined into the weighted SPC3 forecast

Real-time Environmental Diagnostics




Real-time Environmental Diagnostics




Diagnostic Verification – HWRF and GFDL 2012 AL


T200








Shear Magnitude



SST



Mid-level RH



Diagnostic Verification – HWRF and GFDL 2012 EP

T200

— HWRF
— GFDL
- - HWRF
- - GFDL

Shear Magnitude





— HWRF
— GFDL
- - HWRF
- - GFDL

SST

— HWRF
— GFDL
- - HWRF
- - GFDL

Mid-level RH

— HWRF
— GFDL
- - HWRF
- - GFDL



Summary

- Diagnostic files produce means of model tropical cyclone large-scale environment assessment and used as input for SPICE ensemble statistical model
- Currently being produced for HWRF, GFDL, COAMPS-TC, NOGAPS, AHW, GFS ensemble, FIM ensemble, and others
- Diagnostic verification will be produced monthly in 2012 season
 - Satellite verification will be also be run periodically in 2012 season

Plans for 2012 Season - SPICE

- In 2012 we'll run SPICE in HFIP Stream 1.5:
 - The first version (SPC3) is based off the 2011 SPICE model, with updated versions of SHIPS and LGEM
- We'll also run two versions of SPICE in HFIP Stream 2:
 - The second version (SPCR) includes COAMPS-TC
 - Currently testing inclusion of AHW (SUNY-Albany)
 - The third version (SPCG) will include HFIP global model ensembles (GFS ensemble and FIM ensemble)

Questions?

Infrared Verification

- Use radiative transfer code to calculate synthetic infrared (IR) data from HWRF output
 - GOES channel 3 (water vapor) and 4 (window channel)
- Compare synthetic IR with real GOES data
- Mean absolute error, bias, brightness temperature histograms
- Compare verification for H212 and 2011 operational HWRF
- Preliminary test with Irene (2011) cases